Economic Analysis

Mitchell Leonards (nom de plume)

This work is licensed under the Creative Commons Attribution-NoDerivs-NonCommercial License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nd-nc/1.0/ or send a letter to Creative Commons, 559 Nathan Abbott Way, Stanford, California 94305, USA.

Abstract

A framework for economic analysis based on linear equations. In this edition, the mathematical model introduced in earlier works has been extended.

ML (November 2004)

Table of Contents

Introduction	4
Process-Level Structure	5
Agent-Level Structure	6
First-Order Dynamics	8
Second-Order Dynamics	11
Third-Order Dynamics	15

Introduction

Section 1: Observation

Let structure be defined as a set of elements and its organization.
Let transformation be defined as the alteration of a structure.

Let observation be defined as the identification of a structure.
Let qualification be defined as the identification of a structure's attributes.
Let data be defined as observations and qualifications.

Section 2: Analysis

Let composition be defined as the derivation of a structure's attributes based on a given set of data.
Let decomposition be defined as the derivation of an element's attributes based on a given set of data.

Let a principle be defined as a concept that defines the state of a structure.
Let a protocol be defined as an implementation of a principle in a particular context.

Let induction be defined as the derivation of a principle based on a given set of data.
Let deduction be defined as the derivation of a protocol based on a given set of data.

Process-Level Structure

Section 1: Composition

For a given transformation,
let a reactant be defined as an element that is added, removed, or reorganized;
let an accelerant be defined as an element that accelerates the transformation or allows it to occur but is not a reactant;
let a decelerant be defined as an element that decelerates the transformation or prevents it from occurring but is not a reactant;
let a regulator be defined as an element that acts as an accelerant or decelerant;
let an input be defined as an element that acts as a reactant or regulator;

let a product be defined as a structure formed by a transformation for a given purpose;
let a by-product be defined as a structure formed by a transformation for no given purpose;
let an output be defined as a structure that is a product or by-product;

let a resource be defined as an object that is an input or output.

Section 2: Organization

Let a track be defined as a set of α chronologically sequential transformations related by a common set of inputs. From this definition, a given track can converge with other tracks as well as diverge.

Let a process be defined as a set of β tracks related by a common set of outputs. Where $\beta > 1$, tracks can occur simultaneously or sequentially.

For analytical purposes, a process can be divided into subsets of transformations according to some set of criteria. Let these subsets be called stages.

Let a process descriptor be of the form
$[I]/[O]^t$
where [I] is an n x n matrix of inputs, [O] is an N x N matrix of outputs, and t is the time required to execute the process.

Let each element in [I] and [O] be of the form
$(\gamma_Q^q)_S^T$
where γ is the identifies of the resource, q is the number of units of the resource involved in one execution of the process, Q is the number of units of the resource involved in ten executions of the process, T is the set of chronological constraints the resource must satisfy, and S is the set of spatial constraints the resource must satisfy.

Identifiers can be technical or common names.

Section 3: Properties

Let process efficiency, θ, be defined as
$\theta = q_{product} / q_{input}$ (3.1)

Let process yield, ι, be defined as
$\iota = q_{product} / q_{by\text{-}product}$ (3.2)

Let process scalability, κ, be defined as
$\kappa = q_{product} / q_{regulator}$ (3.3)

Agent-Level Structure

Section 1: Composition

Let an economic network be defined as a set of agents and the exchanges of goods it executes. Given this definition, production and consumption are the fundamental processes in an economy.

Let A_t be the set of agents encompassed by an economic network at time t, such that

$$A_t = [A_1 ... A_m] \quad (1.1)$$

Within A_t, let B_t be the set of agents that can act as producers at time t, such that

$$B_t = [B_1 ... B_i] \quad (1.2)$$

where $i \leq m$.

Within A_t, let C_t be the set of agents that can act as consumers at time t, such that

$$C_t = [C_1 ... C_r] \quad (1.3)$$

where $r \leq m$. From these definitions, it is possible for a given agent to belong to subsets B_t and C_t at the same point in time.

Let N_t be the set of types of goods that can be produced by the agents in B_t, such that

$$N_t = [N_1 ... N_I] \quad (1.4)$$

Let n_t be the set of types of goods that can be consumed by the agents in C_t, such that

$$n_t = [n_1 ... n_R] \quad (1.5)$$

Let b_t be the set of goods produced by the agents in B_t, such that

$$b_t = [B_t][N_{B,t}] \quad (1.6)$$

where B_t is a 1 x i matrix and $N_{B,t}$ is an i x I matrix. From these definitions, the number of units of goods produced is given by

$$\sum_{g=1}^{i} \sum_{h=1}^{I} N_{gh} \quad (1.7)$$

and the number of units of goods of the Eth type produced is given by

$$\sum_{g=1}^{i} N_{gE} \quad (1.8)$$

Let c_t be the set of goods consumed by the agents in C_t, such that

$$c_t = [C_t][n_{C,t}] \quad (1.9)$$

where C_t is a 1 x r matrix and $n_{C,t}$ is a r x R matrix. From these definitions, the number of units of goods consumed is given by

$$\sum_{j=1}^{r} \sum_{k=1}^{R} n_{jk} \quad (1.10)$$

and the number of units of goods of the Eth type consumed is given by

$$\sum_{j=1}^{r} n_{jE} \quad (1.11)$$

Section 2: Organization

Given the structure of an economic network, a set of ratios can be constructed:

$$i_t / m_t \quad \text{(r - 2.1)}$$

$$r_t / m_t \quad \text{(r - 2.2)}$$

$$i_t / r_t \quad \text{(r - 2.3)}$$

$$I_t / R_t \quad \text{(r - 2.4)}$$

$$\sum_{g=1}^{i} \sum_{h=1}^{I} N_{gh} / i \quad \text{(r - 2.5)}$$

$$\sum_{g=1}^{i} N_{gE} / i \quad \text{(r - 2.6)}$$

$$\sum_{j=1}^{r} \sum_{k=1}^{R} n_{jk} / r \quad \text{(r - 2.7)}$$

$$\sum_{j=1}^{r} n_{jE} / r \quad \text{(r - 2.8)}$$

$$\sum_{g=1}^{i} N_{gE} / \sum_{g=1}^{i} \sum_{h=1}^{I} N_{gh} \quad \text{(r - 2.9)}$$

$$\sum_{j=1}^{r} n_{jE} / \sum_{j=1}^{r} \sum_{k=1}^{R} n_{jk} \quad \text{(r - 2.10)}$$

$$\sum_{g=1}^{i} N_{gE} / \sum_{j=1}^{r} n_{jE} \quad \text{(r - 2.11)}$$

$$\sum_{g=1}^{i} \sum_{h=1}^{I} N_{gh} / \sum_{j=1}^{r} \sum_{k=1}^{R} n_{jk} \quad \text{(r - 2.12)}$$

Section 3: Properties

Let z be a given matrix of any given agent metrics. Let Z be a given matrix of any given exchange metrics. From these definitions, z and Z can be applied to equations 1.1 -1.11 and ratios r - 2.1 - r - 2.12 to construct metrics to describe the attributes of an exchange network.

First-Order Dynamics

Section 1: Accounting

A: Processes

A process value descriptor can be constructed by isolation the number of units of each resource involved in a process and the per unit value of each resource, where value is expressed in terms of a given resource.

Accordingly, let

$$C = (\delta_Q^q)_S^T(\varepsilon_Q^q)_S^T \tag{1.1}$$

where C is the cost of executing a process, δ is a 1x n matrix of inputs, and ε is an n x 1 matrix of per unit input prices.

Let

$$R = (\zeta_Q^q)_S^T(\eta_Q^q)_S^T \tag{1.2}$$

where R is the revenue generated by a process, ζ is a 1 x N matrix of outputs, and η is an N x 1 matrix of per unit output prices.

Isolating the q or Q terms from 1.1 gives

$$C = q_\delta p_\varepsilon \tag{1.3}$$

where q denotes quantity and p denotes price.

Isolating the q or Q terms from 1.2 gives

$$R = q_\zeta p_\eta \tag{1.4}$$

where q denotes quantity and p denotes price.

B: Economic Processes

For consumption, revenue is given by

$$R_c = q_{c\zeta} p_{c\eta} \tag{1.5}$$

and

$$C_c = q_{c\delta} p_{c\varepsilon} \tag{1.6}$$

For production, revenue is given by

$$R_p = q_{p\zeta} p_{p\eta} \tag{1.7}$$

and

$$C_p = q_{p\delta} p_{p\varepsilon} \tag{1.8}$$

C: Agents

For a given set of agents, revenue is given by

$$\begin{aligned} R &= R_c + R_p \\ &= q_{c\zeta} p_{c\eta} + q_{p\zeta} p_{p\eta} \\ &= (p_1)(q_1) \\ &= [b_t][Z_{1t}] \end{aligned} \tag{1.9}$$

where Z_{1t} is a I x 1 matrix.

Cost is given by

$$\begin{aligned} C &= C_c + C_p \\ &= q_{c\delta} p_{c\varepsilon} + q_{p\delta} p_{p\varepsilon} \\ &= (p_2)(q_2) \\ &= [c_t][Z_{2t}] \end{aligned} \tag{1.10}$$

where Z_{2t} is a R x 1 matrix.

For a given economic network,

$\pi_t = R - C$

$= [b_t][Z_{1t}] - [c_t][Z_{2t}]$ (1.11)

Accordingly,

$$\pi_T = \sum_{t=1}^{T} \pi_t \quad (1.12)$$

for $t = 1...T$ periods.

Section 2: Money Supply

Let the domestic currency of a given economic network be good N_D in N_t, and good n_D in n_t. Where interest exists, the interest rate charged on loans influences the value of N_D, and the interest rate paid on investments influences the value of n_D.

Where financial institutions can loan deposits, the multiplier effect on the supply of currency is given by

$$([\sum_{g=1}^{i} N_{gD}][Z_{1D}]) / ([\sum_{j=1}^{r} n_{jD}][Z_{2D}]) \quad (2.1)$$

where Z_{1D} is the value of loans and Z_{2D} is the value of deposits, measured in units of the domestic currency.

Where financial institutions must retain a given percentage of the deposits they hold,

$$0 \le ([\sum_{g=1}^{i} N_{gD}][Z_{1D}]) / ([\sum_{j=1}^{r} n_{jD}][Z_{2D}]) \le 1 / rr \quad (2.2)$$

where rr is the reserve ratio.

Where the value of goods measured in units of the domestic currency changes, the price level is given by

$$\sum_{g=1}^{i} N_{gD} / \sum_{g=1}^{i}\sum_{h=1}^{I} N_{gh} \quad (2.3)$$

(1.3) is a form of (r - 2.9).

Accordingly, the inflation rate is given by

$$[(\sum_{g=1}^{i} N_{gD,t} / \sum_{g=1}^{i}\sum_{h=1}^{I} N_{gh,t}) - (\sum_{g=1}^{i} N_{gD,t-1} / \sum_{g=1}^{i}\sum_{h=1}^{I} N_{gh,t-1})] / (\sum_{g=1}^{i} N_{gD,t-1} / \sum_{g=1}^{i}\sum_{h=1}^{I} N_{gh,t-1}) \quad (2.4)$$

Where loans exist, the value of any loans are stated in Z_{1t}, and the costs of loans are stated in Z_{2t}. The revenues generated by investments are stated in Z_{1t}, and the costs of investments are stated in Z_{2t}.

Once interest rates, price levels, and inflation are determined, their effects on the value of loans and investments can be calculated using conventional equations. The results can be incorporated into chronological constraints, T, as well as Z_{1t} and Z_{2t}.

Section 3: Balance of Payments

Let E be the set of goods exported by the agents in an economy, and let e be the set of goods imported. Using these definitions, the current account balance is given by

$$[\sum_{g=1}^{i} N_{gE}][Z_{1E}] - [\sum_{j=1}^{r} n_{je}][Z_{2e}] \quad (3.1)$$

where Z_{1E} is an index of the prices of the goods in E and Z_{2e} is an index of the prices of the goods in e, measured in units of the domestic currency.

Let F be the set of domestically owned foreign assets and let f be the set of foreign owned domestic assets. Using these definitions, the capital account balance is given by

$$[\sum_{g=1}^{i} N_{gF}][Z_{1F}] - [\sum_{j=1}^{r} n_{jf}][Z_{2f}] \qquad (3.2)$$

where Z_{1F} is an index of the market values of the assets in F and Z_{2f} is an index of the market values of the assets in f, measured in units of the domestic currency.

Second-Order Dynamics

Section 1: Elasticity

Let elasticity be defined as the relationship between the price of a good and quantity produced or consumed, or

$$\frac{\partial Q_t}{\partial P_t} = x_t \tag{1.1}$$

Let consumer determined elasticity (CDE) be defined as an elasticity where $x_t < -1$. Let neutrally determined elasticity (NDE) be defined as an elasticity where $x_t = -1$. Let producer determined elasticity (PDE) be defined as an elasticity where $x_t > -1$.

Section 2: Returns to Scale

Let returns to scale (RS) be defined as the relationship between the quantity of a good produced or consumed and its price, or

$$\frac{\partial P_t}{\partial Q_t} = \bar{x}_t \tag{2.1}$$

Let increasing returns to scale (IRS) be defined as an RS where $\bar{x}_t < 0$. Let constant returns to scale (CRS) be defined as an RS where $\bar{x}_t = 0$. Let decreasing returns to scale (DRS) be defined as an RS where $\bar{x}_t > 0$.

Section 3: Externality

Let externality be defined as the relationship between the returns to different economic activities, or

$$\frac{\partial \pi_{1,t}}{\partial \pi_{2,t}} = \hat{x}_t \tag{3.1}$$

Let increasing externality (IE) be defined as an externality where $\hat{x}_t > 0$. Let neutral externality (NE) be defined as an externality where $\hat{x}_t = 0$. Let decreasing externality (DE) be defined as an externality where $\hat{x}_t < 0$.

Section 4: Production Constraints

Let the elasticity constraint be expressed as

$$b_t = x_{bt} Z_{1t} \tag{4.1}$$

Let the RS constraint be expressed as

$$Z_{1t} = \bar{x}_{bt}\, b_t \tag{4.2}$$

Let the externality constraint be expressed as

$$\pi_{1t} = \hat{x}_{bt}\, \pi_{2t} \tag{4.3}$$

Section 5: Consumption Constraints

Let the elasticity constraint be expressed as

$$c_t = x_{ct} Z_{2t} \tag{5.1}$$

Let the RS constraint be expressed as

$$Z_{2t} = \bar{x}_{ct}\, c_t \tag{5.2}$$

Let the externality constraint be expressed as

$$\pi_{1t} = \hat{x}_{ct}\, \pi_{3t} \tag{5.3}$$

Section 6: Economic Network Constraints

Given the production and consumption constraints, an economic network's income equation can be expressed as

$$\pi_t = [b_t Z_{1t} - \lambda_1(b_t - x_{bt} Z_{1t}) - \lambda_2(Z_{1t} - \bar{x}_{bt}\, b_t) - \lambda_3(\pi_{1t} - \hat{x}_{bt}\, \pi_{2t})] - [c_t Z_{2t} - \lambda_4(c_t - x_{ct} Z_{2t}) - \lambda_5(Z_{2t} - \bar{x}_{ct}\, c_t) - \lambda_6(\pi_{1t} - \hat{x}_{ct}\, \pi_{3t})]$$

$$= [b_t Z_{1t} - \lambda_1(b_t - x_{bt} Z_{1t}) - \lambda_2(Z_{1t} - \bar{x}_{bt}\, b_t) - \lambda_3(b_t Z_{1t} - c_t Z_{2t} - \hat{x}_{bt}\, (b_{2t} Z_{21t} - c_{2t} Z_{22t}))] - [c_t Z_{2t} - \lambda_4(c_t - x_{ct} Z_{2t}) - \lambda_5(Z_{2t} - \bar{x}_{ct}\, c_t) - \lambda_6(b_t Z_{1t} - c_t Z_{2t} - \hat{x}_{ct}\, (b_{3t} Z_{31t} - c_{3t} Z_{32t}))] \tag{6.1}$$

Accordingly,

$$\frac{\partial \pi}{\partial b_t} = Z_{1t} - \lambda_1 + \lambda_2 \bar{x}_t - \lambda_3 Z_{1t} + \lambda_6 Z_{1t} \tag{6.2},$$

$$\frac{\partial \pi}{\partial Z_{1t}} = b_t - \lambda_1 x_t + \lambda_2 - \lambda_3 b_t + \lambda_6 b_t \tag{6.3},$$

$$\frac{\partial \pi}{\partial c_t} = \lambda_3 Z_{2t} - Z_{2t} + \lambda_4 - \lambda_5 \bar{x}_t - \lambda_6 Z_{2t} \tag{6.4}, \text{ and}$$

$$\frac{\partial \pi}{\partial Z_{2t}} = \lambda_3 c_t - c_t - \lambda_4 x_t + \lambda_5 - \lambda_6 c_t \tag{6.5}.$$

A: Production-Specific Constraints

$$\frac{\partial \pi}{\partial x_{bt}} = \lambda_1 Z_{1t} \tag{6.6}$$

$$\frac{\partial \pi}{\partial \bar{x}_{bt}} = \lambda_2 b_t \tag{6.7}$$

$$\frac{\partial \pi}{\partial \hat{x}_{bt}} = \lambda_3 (b_{2t} Z_{21t} - c_{2t} Z_{22t}) \tag{6.8}$$

$$\frac{\partial \pi}{\partial b_{2t}} = \lambda_3 \hat{x}_{bt} Z_{21t} \tag{6.9}$$

$$\frac{\partial \pi}{\partial Z_{21t}} = \lambda_3 \hat{x}_{bt} b_{2t} \tag{6.10}$$

$$\frac{\partial \pi}{\partial c_{2t}} = -\lambda_3 \hat{x}_{bt} Z_{22t} \tag{6.11}$$

$$\frac{\partial \pi}{\partial Z_{22t}} = -\lambda_3 \hat{x}_{bt} c_{2t} \tag{6.12}$$

$$\frac{\partial \pi}{\partial \lambda_1} = -b_t + x_{bt} Z_{1t} \tag{6.13}$$

$$\frac{\partial \pi}{\partial \lambda_2} = -Z_{1t} + \bar{x}_{bt} b_t \tag{6.14}$$

$$\frac{\partial \pi}{\partial \lambda_3} = -b_t Z_{1t} + c_t Z_{2t} + \hat{x}_{bt}(b_{2t} Z_{21t} - c_{2t} Z_{22t}) \tag{6.15}$$

B: Consumption-Specific Constraints

$$\frac{\partial \pi}{\partial x_{ct}} = -\lambda_4 Z_{2t} \tag{6.16}$$

$$\frac{\partial \pi}{\partial \bar{x}_{ct}} = -\lambda_5 c_t \tag{6.17}$$

$$\frac{\partial \pi}{\partial \hat{x}_{ct}} = -\lambda_6 (b_{3t} Z_{31t} - c_{3t} Z_{32t}) \tag{6.18}$$

$$\frac{\partial \pi}{\partial b_{3t}} = -\lambda_6 \hat{x}_{ct} Z_{31t} \tag{6.19}$$

$$\frac{\partial \pi}{\partial Z_{31t}} = -\lambda_6 \hat{x}_{ct} b_{3t} \tag{6.20}$$

$$\frac{\partial \pi}{\partial c_{3t}} = \lambda_6 \hat{x}_{ct} Z_{32t} \tag{6.21}$$

$$\frac{\partial \pi}{\partial Z_{32t}} = \lambda_6 \hat{x}_{ct} c_{3t} \tag{6.22}$$

$$\frac{\partial \pi}{\partial \lambda_4} = c_t - x_{ct} Z_{2t} \tag{6.23}$$

$$\frac{\partial \pi}{\partial \lambda_5} = Z_{2t} - \bar{x}_{ct} c_t \tag{6.24}$$

$$\frac{\partial \pi}{\partial \lambda_6} = b_t Z_{1t} - c_t Z_{2t} - \hat{x}_{ct}(b_{3t} Z_{31t} - c_{3t} Z_{32t}) \tag{6.25}$$

Third-Order Dynamics

Let an agent reaction be defined as an agent's response to a given set of information. Let an environmental response be defined as a set of changes in the set of information available to agents. Given these definitions, there are four types of responses:

a) agent responses to other agent responses (1),
b) agent responses to environmental responses (2),
c) environmental responses to agent responses (3), and
d) environmental responses to other environmental responses (4).

Responses of either type can be initiated by
a) past agent responses (AP),
b) expected future agent responses (AF),
c) past environmental responses (EP), and
d) expected future environmental responses (EF).

Accordingly, there are eight possible causality types in economic networks:
a) 1-AP,
b) 1-AF,
c) 2-EP,
d) 2-EF,
e) 3-AP,
f) 3-AF,
g) 4-EP, and
h) 4-EF.

Since no combinations are inherently exclusive, any set of causality types can exist in a given process.

These changes in economic networks can be recorded in a two dimensional chart. Let there be two row types, one for environmental components and one for agents or agent types. Let columns represent time frames.

The time frame each column represents can be selected to correspond to the initiation and termination of process stages. Where parallel tracks converge and diverge at different points in time, columns can be constructed according to a common denominator.

Cells in the first column of this chart show the initial state of an economic network, and all subsequent cell show the changes. Agents can enter and exit an economic network during various time frames, so the set of agents present in a given time frame is not necessarily identical to the set of agents in any other time frame.

Section 1: Type 1 Statistics

Let v be velocity.

$$V_{xt} = \frac{(\sum_{u=1}^{I} b_{1u}) + (\sum_{w=1}^{R} c_{1w})}{t} \tag{1.1}$$

$$V_{yt} = \frac{b_t Z_1 + c_t Z_2}{t} \tag{1.2}$$

where Z_1 is a I x 1 matrix and Z_2 is a R x 1 matrix.

Let M be mass.

$$M_{xt} = (\sum_{u=1}^{I} b_{1u}) + (\sum_{w=1}^{R} c_{1w}) \tag{1.3}$$

$$M_{yt} = b_t Z_1 + c_t Z_2 \tag{1.4}$$

Section 2: Type 2 Statistics

Let a be acceleration.

$$a_{xt} = \frac{V_{xt} - V_{xt-1}}{t} \tag{2.1}$$

$$a_{yt} = \frac{V_{yt} - V_{yt-1}}{t} \tag{2.2}$$

Let g be growth.

$$g_{xt} = \frac{M_{xt} - M_{xt-1}}{t} \tag{2.3}$$

$$g_{yt} = \frac{M_{yt} - M_{yt-1}}{t} \tag{2.4}$$

Section 3: Type 3 Statistics

Let P be momentum.

$$P_{xt} = (M_{xt})(V_{xt})$$

$$= \frac{[(\sum_{u=1}^{I} b_{1u}) + (\sum_{w=1}^{R} c_{1w})]^2}{t} \tag{3.1}$$

$$P_{yt} = (M_{yt})(V_{yt})$$

$$= \frac{(b_t Z_1 + c_t Z_2)^2}{t} \tag{3.2}$$

Let F be force.

$$F_{xt} = (g_{xt})(a_{xt})$$

$$= \frac{1}{t^3}[(\sum_{u=1}^{I} b_{1ut} + \sum_{w=1}^{R} c_{1wt}) - (\sum_{u=1}^{I} b_{1ut-1} + \sum_{w=1}^{R} c_{1wt-1})]^2 \tag{3.3}$$

$$F_{yt} = (g_{yt})(a_{yt})$$

$$= \frac{1}{t^3}[(b_t Z_{1t} + c_t Z_{2t}) - (b_{t-1} Z_{1t-1} + c_{t-1} Z_{2t-1})]^2 \tag{3.4}$$

Section 4: Type 4 Statistics

A: Lower Thresholds for Type 1 Statistics

For a given A_t, assume a minimum set of reciprocators, $C_{t(min)}$, and a minimum set of goods they require, $n_{t(min)}$, where

$$n_{t(min)} = [n_{1(min)} \ldots n_{\alpha(min)}] \tag{4.1}$$

From these definitions,

$$c_{t(min)} = [C_{t(min)}][n_{t(min)}] \tag{4.2}$$

At minimum velocity b_t is identical to $c_{t(min)}$, so

$$b_{t(min)} = c_{t(min)} \tag{4.3}$$

and

$$I = R \tag{4.4}$$

If $i > r$, then $\sum_{g=1}^{i} N_{gE} < \sum_{j=1}^{r} n_{jE}$, for all E goods.

If $i = r$, then $\sum_{g=1}^{i} N_{gE} = \sum_{j=1}^{r} n_{jE}$, for all E goods.

If $i < r$, then $\sum_{g=1}^{i} N_{gE} > \sum_{j=1}^{r} n_{jE}$, for all E goods.

$$V_{xt(\min)} = \frac{(\sum_{u=1}^{\alpha} b_{1u}) + (\sum_{w=1}^{\alpha} c_{1w})}{t} = \frac{2\sum_{w=1}^{\alpha} c_{1w}}{t} \tag{4.5}$$

$$V_{yt(\min)} = \frac{b_{t(\min)}Z_1 + c_{t(\min)}Z_2}{t} = \frac{2c_{t(\min)}Z_2}{t} \tag{4.6}$$

$$M_{xt(\min)} = (\sum_{u=1}^{\alpha} b_{1u}) + (\sum_{w=1}^{\alpha} c_{1w}) = 2\sum_{w=1}^{\alpha} c_{1w} \tag{4.7}$$

$$M_{yt(\min)} = b_{t(\min)}Z_1 + c_{t(\min)}Z_2 = 2c_{t(\min)}Z_2 \tag{4.8}$$

B: Upper Thresholds for Type 1 Statistics

For a given A_t, assume a maximum set of initiators, $B_{t(max)}$, and a maximum set of goods they produce, $N_{t(max)}$, where

$$N_{t(max)} = [N_{1(max)} \ldots N_{\Omega(max)}] \tag{4.9}$$

From these definitions,

$$b_{t(max)} = [B_{t(max)}][N_{t(max)}] \tag{4.10}$$

At maximum velocity c_t is identical to $b_{t(max)}$, so

$$b_{t(max)} = c_{t(max)} \tag{4.11}$$

and

$$I = R \tag{4.12}$$

If $i > r$, then $\sum_{g=1}^{i} N_{gE} < \sum_{j=1}^{r} n_{jE}$, for all E goods.

If $i = r$, then $\sum_{g=1}^{i} N_{gE} = \sum_{j=1}^{r} n_{jE}$, for all E goods.

If $i < r$, then $\sum_{g=1}^{i} N_{gE} > \sum_{j=1}^{r} n_{jE}$, for all E goods.

$$V_{xt(\max)} = \frac{(\sum_{u=1}^{\Omega} b_{1u}) + (\sum_{w=1}^{\Omega} c_{1w})}{t} = \frac{2\sum_{u=1}^{\Omega} b_{1u}}{t} \tag{4.13}$$

$$V_{yt(\max)} = \frac{b_{t(\max)}Z_1 + c_{t(\max)}Z_2}{t} = \frac{2b_{t(\max)}Z_1}{t} \tag{4.14}$$

$$M_{xt(\max)} = (\sum_{u=1}^{\Omega} b_{1u}) + (\sum_{w=1}^{\Omega} c_{1w}) = 2\sum_{u=1}^{\Omega} b_{1u} \quad (4.15)$$

$$M_{yt(\max)} = b_{t(\max)} Z_1 + c_{t(\max)} Z_2 = 2b_{t(\max)} Z_1 \quad (4.16)$$

Section 5: Type 5 Statistics

A: Lower Thresholds for Type 2 Statistics

$$a_{xt(\min)} = \frac{V_{xt(\min)} - V_{xt-1}}{t} \quad (5.1)$$

$$a_{yt(\min)} = \frac{V_{yt(\min)} - V_{yt-1}}{t} \quad (5.2)$$

$$g_{xt(\min)} = \frac{M_{xt(\min)} - M_{xt-1}}{t} \quad (5.3)$$

$$g_{yt(\min)} = \frac{M_{yt(\min)} - M_{yt-1}}{t} \quad (5.4)$$

B: Upper Thresholds for Type 2 Statistics

$$a_{xt(\max)} = \frac{V_{xt(\max)} - V_{xt-1}}{t} \quad (5.5)$$

$$a_{yt(\max)} = \frac{V_{yt(\max)} - V_{yt-1}}{t} \quad (5.6)$$

$$g_{xt(\max)} = \frac{M_{xt(\max)} - M_{xt-1}}{t} \quad (5.7)$$

$$g_{yt(\max)} = \frac{M_{yt(\max)} - M_{yt-1}}{t} \quad (5.8)$$

Section 6: Type 6 Statistics

A: Lower Thresholds for Type 3 Statistics

$$P_{xt(min)} = (M_{xt(min)})(V_{xt(min)})$$

$$= \frac{[2\sum_{w=1}^{\alpha} c_{1w}]^2}{t} \quad (6.1)$$

$$P_{yt(min)} = (M_{yt(min)})(V_{yt(min)})$$

$$= \frac{(2c_{t(\min)} Z_2)^2}{t} \quad (6.2)$$

$$F_{xt(min)} = (g_{xt(min)})(a_{xt(min)})$$

$$= \frac{1}{t^3}[(2\sum_{w=1}^{\alpha} c_{1wt}) - (\sum_{u=1}^{I} b_{1ut-1} + \sum_{w=1}^{R} c_{1wt-1})]^2 \quad (6.3)$$

$$F_{yt(min)} = (g_{yt(min)})(a_{yt(min)})$$
$$= \frac{1}{t^3}[(2c_{t(\min)}Z_{2t}) - (b_{t-1}Z_{1t-1} + c_{t-1}Z_{2t-1})]^2 \quad (6.4)$$

B: Upper Thresholds for Type 3 Statistics

$$P_{xt(max)} = (M_{xt(max)})(V_{xt(max)})$$
$$= \frac{[2\sum_{u=1}^{\Omega} b_{1u}]^2}{t} \quad (6.5)$$

$$P_{yt(max)} = (M_{yt(max)})(V_{yt(max)})$$
$$= \frac{(2b_{t(\max)}Z_1)^2}{t} \quad (6.6)$$

$$F_{xt(max)} = (g_{xt(max)})(a_{xt(max)})$$
$$= \frac{1}{t^3}[(2\sum_{u=1}^{\Omega} b_{1ut}) - (\sum_{u=1}^{I} b_{1ut-1} + \sum_{w=1}^{R} c_{1wt-1})]^2 \quad (6.7)$$

$$F_{yt(max)} = (g_{yt(max)})(a_{yt(max)})$$
$$= \frac{1}{t^3}[(2b_{t(\max)}Z_{1t}) - (b_{t-1}Z_{1t-1} + c_{t-1}Z_{2t-1})]^2 \quad (6.8)$$